



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/1662/162/12/19/3644

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : SHANDONG SHUNXING LABOUR PROTECTIVE CO.,LTD
Dingzhang Industrial Park, Yuqiuhu Sub-district office, Gaotang City, Shandong Province, China 252800
CHINA

Description

PPE Type : protective glove against mechanical risks, chemical risks,

Product reference : GSP 2211GR/GF/GS

Article code :

Glove description : Green Double Dipped PVC glove, Sandy finish, Gauntlet, 270/300/350mm

Available sizes : 8/M 9/L 10/XL

Pictures :



GSP 2211GR/GF/GS SIZE 10/XL

EN 388: 2016 3 1 2 1 X
EN ISO 374-1: 2016/Type B
EN ISO 374-5: 2016
CAT III 11/2019

CE 0075

Dingzhang Industrial Park, Gaotang City, Shandong Province, China 252800

Reference standard :

Levels of performance / class of protection

EN 420:2003+A1:2009

-

EN 388:2016

3 1 2 1 X

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

EN ISO 374-5:2016

MICRO-ORGANISMS

EN ISO 374-1:2016

Type B

JKL

This product is a category III (lethal or irreversible risk). This certificate shall only be used in conjuncture with the conformity assessment procedure according to module C2 (CTC 0075)

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from December 2019

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

Issued in Lyon by
Maxence DREVET
Project Certification Manager

Date of first issue : 11 December 2019
End of validity date : 11 December 2024



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

Original CTC



SHANDONG SHUNXING LABOUR PROTECTIVE CO.,LTD

**MANUFACTURER'S TECHNICAL FILE TO THE
PPE REGULATION 2016/425**

Reference of the product	:	GSP 2211GR/GF/GS
Article code	:	
Technical file index	:	01
Last update	:	December 2019

IDENTIFICATION

Reference of the product :	:	GSP 2211GR/GF/GS
Article code :	:	
Basic Model		
Technical file index :	:	01
Last update :	:	December 2019

Manufacturer :

SHANDONG SHUNXING LABOUR PROTECTIVE CO.,LTD

Dingzhang Industrial Park, Yuqiuhu Sub-district office, Gaotang City, Shandong Province, China 252800

CHINA

tel : 86-635-2139189

fax : 86-635-2138558

Factory :

SHANDONG SHUNXING LABOUR PROTECTIVE CO.,LTD

Dingzhang Industrial Park, Yuqiuhu Sub-district office, Gaotang City, Shandong Province, China 252800

CHINA

tel: 86-635-2139189

fax: 86-635-2138558

GLOVE DESCRIPTION

General glove description :

Green Double Dipped PVC glove, Sandy finish, Gauntlet, 270/300/350mm
type of coating finish : sandy

Visual description (picture back and palm sides) :



Field of use

Effective barrier against bacteria and fungi and having a protection against tested chemicals NaOH 40%, H₂SO₄ 96%, n-Heptane but "uncontrolled against virus"

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.10.2	PPE intended to protect against substances and mixtures which are hazardous to health and against harmful biological agents - Cutaneous contact	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Available sizes :

Minimum length of glove (mm)	Sizes
270	8/M
300	9/L
350	10/XL

Glove constitution :

	Reference	Color	Material	Surfacic mass (g/m ²)	Gauges	Thickness
Palm		Green	PVC			1.2mm
		White	cotton	185g/m ²	24g	
Back		Green	PVC			1.2mm
		White	cotton	185g/m ²	24g	
Cuff		Green	PVC			1.0mm
		White	cotton	185g/m ²	24g	

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed for against mechanical risks, chemical risks, microorganisms risks.

It is a category III product, module C2

Notified Body Reference : CTC (0075)

Parc Scientifique Tony Garnier, 4, rue Hermann Frenkel-
69367 Lyon Cedex 07-France

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5

Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2016

Protection offered	Performance levels
Abrasion resistance	3
Blade cut resistance	1
Tear strength resistance	2
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	X
Impact Protection	-

The levels of performance have been measured on the palm

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

Chemical hazard EN 374-2 : 2014

Protection offered	Performance levels
Water tightness	conform
Air tightness	conform

Chemical hazard EN ISO 374-1 : 2016

Type :	Type B
---------------	--------

Tested chemical :	CAS N°	Letter	Permeation performance levels:	Degradation value:
n-Heptane	142-82-5	J	2	7,8%
Sodium hydroxide 40%	1310-73-2	K	6	-5,8%
Sulphuric acid 96%	7664-93-9	L	4	-3,9%

Microorganism EN ISO 374-5 : 2016

This glove protect against microorganism
Uncontrolled against viruses

TEST REPORTS

Laboratory	CTC	Other
EN 420 + innocuousness	S190100238_3 S190303233_2 S190404829_2 S190405629_1(DMFu)	
EN 388	S190100238_3	
EN 374-2	S190100238_3	
EN 16523-1	S181114976_1	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : GSP 2211GR/GF/GS

Article Code :

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :

Marking example :



Method of marking on the glove :

printed on the back of the glove

Packaging :

12 pairs per polybag; 84 pairs per carton

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Declaration of conformity :

Available with product.

MEANS OF CONTROL

All of our workers are QC, we checked the quality in every process.

1. Sew the liner, our warehouse check the cotton quality when the supplier delivery the material. and the workers charged for cutting the cotton and sewing the liner also will check the quality.
2. Dipping. the workers in the production lines will check the every dipped liner, and the workers for package also will check every gloves when they packed.
3. Our QC will check the goods every Wendsday. And our QC will pick up some samples in every batch and do Abrasion, Cut tests and so on under EN388 and EN420.
4. We will submit samples to testing center like CTC for EN374 per year.